

Material Safety Data Sheet

U.S. Department of Labor



May be used to comply with

OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List) Duroseal Adhesive Glue	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name BBZ AG	Emergency Telephone Number 800-424-9300 Chemtrec
Address (Number, Street, City, State, and ZIP Code) Gewerbezentrum	Telephone Number for Information 860-583-3232
Rotfarbstrasse 8	Date Prepared 06/06/01
CH-9213 Hauptwil Switzerland	Signature of Preparer (optional)

Section II – Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
Adhesive based on rubber				
NON HAZARDOUS CHEMICAL				

Section III – Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	20°C	1.50g/cm ³
Vapor Pressure (mm Hg.)	N/A	Melting Point		N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)		N/A
Solubility in Water	Insoluble			
Appearance and Odor	Appearance: White Odor: Characteristics			

Section IV – Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A
Extinguishing Media	No limitations		
Special Fire Fighting Procedures	No limitations		
Unusual Fire and Explosion Hazards	N/A		

(Reproduce locally)

OSHA 174, Sept. 1985

Section V – Reactivity Data

Duroseal Adhesive Glue Page 2

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) N/A			
Hazardous Decomposition or Byproducts Generates small amts. Of methanol while curing & working (max. 0.9%)			
Hazardous Polymerization	May Occur		Conditions to Avoid N/A
	Will Not Occur	X	

Section VI – Health Hazard Data

Route(s) of Entry:	Inhalation? N/A	Skin? N/A	Ingestion? N/A
Health Hazards (<i>Acute and Chronic</i>) None			
Carcinogenicity:	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure N/A			
Medical Conditions Generally Aggravated by Exposure N/A			
Emergency and First Aid Procedures If glue comes in contact with eye, rinse immediately then consult physician. If swallowed watch symptoms then consult physician.			

Section VII – Precautions for Safe Handling and Use

Steps To Be Taken in Case Material is Released or Spilled Do not allow material to enter drainage system, lakes or rivers.
Waste Disposal Method For cured material there is no special measures.
Precautions to Be Taken in Handling and Storing Store in a cool, dry environment. Recommended storage of 15-25°C
Other Precautions None

Section VIII – Control Measures

Respiratory Protection (<i>Specify Type</i>) N/A		
Ventilation	Local Exhaust N/A	Special N/A
	Mechanical (<i>General</i>) N/A	Other N/A
Protective Gloves Rubber gloves	Eye Protection Protective goggles	
Other Protective Clothing or Equipment None required.		
Work/Hygienic Practices Do not eat, smoke or drink when working. Wash hands with soap & water when finished.		